

**IN THE SPECIFICATION:**

Please make the following change in lines 15 through 22 of page 1 of the specification:

**BACKGROUND OF THE INVENTION**

**Field of the invention:**

The present invention relates to an image recording/reproducing apparatus and a control method thereof, and more particularly, to an image recording/reproducing apparatus capable of utilizing storage means provided therein with efficiency, and a control method thereof.

**2.——Description of the Related Art:**

Please make the following change in lines 10 through 17 of page 2 of the specification:

The image recording/reproducing apparatus is applied in numerous fields such as the satellite broadcasting-signal, cable broadcasting, network broadcasting via the Internet and with other various image/sound sources. Regardless of the image/sound sources the signals come from, all of the signals are stored in a storage means such as the HDD as mentioned above, and then divided into sub-structures such as folders for storage and stored.

**SUMMARY OF THE INVENTION**

Please make the following change in line 19 of page 3 of the specification:

of automatically deleting an error file ~~which is~~ that was unnecessarily stored in the HDD

Please make the following change in line 23 of page 3 of the specification:  
input unit for receiving a record command directing that image data stored in  
an

Please make the following change in line 27 of page 3 of the specification:  
recording/reproducing apparatus further comprises ~~and~~ a main control unit for

Please make the following change in lines 1 through 8 of page 4 of the specification:  
medium in response to the input of a record command through the input unit.  
~~unit, and also controlling~~ The main control unit also controls the video decoder such  
that the image data can be decoded based on a predetermined TV broadcasting method  
which is applied during the encoding, and ~~processing~~ processes the image data such  
that the decoded image data can be recorded in the internal recording medium.

The video decoder comprises a register, which records in a predetermined  
area, the setting values with respect to a TV broadcasting method, and a main control  
~~unit~~ unit. The main control unit ~~which~~ controls the updating of the setting

Please make the following change in line 27 of page 4 of the specification:  
become more apparent by describing in detail ~~[[a]] preferred embodiment~~  
embodiments thereof

Please make the following change in line 20 of page 5 of the specification:  
designated by the data management unit according to a preferred embodiment  
of the present invention;

Please make the following change in line 27 of page 5 of the specification:  
selecting the size of cluster according to a preferred embodiment of the present  
invention;

Please make the following change in line 2 of page 6 of the specification:  
whether or not to proceed with the formatting of the HDD cluster according to  
a preferred embodiment of the present invention;

Please make the following change in lines 10 through 12 of page 6 of the  
specification:  
FIG. 14 is a view illustrating a menu guide list screen ~~which~~ that is displayed  
subsequent to the selection of an edit menu on the initial guide menu screen cluster  
according to a preferred embodiment of the present invention;

Please make the following change in line 27 of page 6 of the specification:  
broadcasting method is applied during the storing of the signals in the HDD  
according to a preferred embodiment of the present invention;

Please make the following change in line 5 of page 7 of the specification:  
program list function is performed according to a preferred embodiment of the  
present invention; and

Please make the following change in lines 21 and 22 of page 7 of the specification:

can also include wired ~~type~~ types of input devices such as a keyboard, in addition to the remote controller 300 ~~[[as]]~~ employed ~~herein~~ herein, by way of ~~example~~ example, for sending and

Please make the following change in line 8 of page 8 of the specification:

include a ~~[[VCR]]~~ video cassette recorder (VCR), ~~[[DVDP]]~~ digital video disc player (DVDP), ~~[[PVR]]~~ personal video recorder (PVR), ~~VCR/DVDP~~ video cassette recorder/digital video disc player (VCR/DVDP) combination system, and

Please make the following change in lines 8 and 9 of page 15 of the specification:

The temporary recording region B1 is a volatile recording area ~~[[is]]~~ used to temporarily record the ~~[[currently-viewing]]~~ currently-viewed programs, for the time delay

Please make the following change in line 8 of page 27 of the specification:  
of the image recording/reproducing apparatus of FIG. 2. Referring to FIG.

~~[[21]]~~ 11,

Please make the following change in line 29 of page 30 of the specification:  
guide list, will be described in detail with reference to FIGS. 14 ~~[[and 18]]~~ -

17.

Appl. No. 10/751,298  
Prel. Amdt. Dated: June 8, 2004

Please make the following change in line 14 of page 31 of the specification:  
If the digital recorder menu is selected from the main menu for the  
management

Please make the following change in line 20 of page 39 of the specification:  
recording is performed with respect to user [[D/B]] database (D/B) 250B and  
GOP data 250A of

Please make the following change in line 1 of page 40 of the specification:  
Hereinbelow, the process of deleting error [[file]] files generated in the HDD